

Message

---

**From:** Clay Yerby [cyerby@ci.eureka.ca.gov]  
**Sent:** 2/10/2016 6:42:21 PM  
**To:** Fondahl, Lauren [Fondahl.Lauren@epa.gov]  
**CC:** Dan Duncan [dduncan@ci.eureka.ca.gov]; Michael P. Hansen [mphansen@ci.eureka.ca.gov]  
**Subject:** RE: biosolids report

Lauren: We will collect additional samples today from the stored material in the biosolids handling building. The results of analysis should be available the first week in March. We will note this in the report.

Thanks for your help.

Clay Yerby  
City of Eureka  
Source Control  
707-441-4011

---

**From:** Fondahl, Lauren [mailto:Fondahl.Lauren@epa.gov]  
**Sent:** Tuesday, February 09, 2016 4:17 PM  
**To:** Clay Yerby <cyerby@ci.eureka.ca.gov>  
**Cc:** Dan Duncan <dduncan@ci.eureka.ca.gov>  
**Subject:** RE: biosolids report

Clay

You can run additional samples on the biosolids in storage, and note in the report that the additional results will be coming on a projected date.

Lauren

Lauren Fondahl  
Biosolids Coordinator, WTR-2-3  
US EPA Region 9  
75 Hawthorne St.  
San Francisco, CA 94105  
415 972-3514 (office)

---

**From:** Clay Yerby [mailto:cyerby@ci.eureka.ca.gov]  
**Sent:** Tuesday, February 09, 2016 3:29 PM  
**To:** Fondahl, Lauren <Fondahl.Lauren@epa.gov>  
**Cc:** Dan Duncan <dduncan@ci.eureka.ca.gov>  
**Subject:** RE: biosolids report

Lauren: Synagro land applied the biosolids. There was only 2 samples taken total. We still have dewatered 2015 biosolids in storage and could grab additional samples, but I doubt the results could be had before the report is due.

Clay Yerby  
City of Eureka  
Source Control  
707-441-4011

---

**From:** Fondahl, Lauren [<mailto:Fondahl.Lauren@epa.gov>]  
**Sent:** Tuesday, February 09, 2016 2:47 PM  
**To:** Clay Yerby <[cyerby@ci.eureka.ca.gov](mailto:cyerby@ci.eureka.ca.gov)>  
**Cc:** Dan Duncan <[dduncan@ci.eureka.ca.gov](mailto:dduncan@ci.eureka.ca.gov)>  
**Subject:** RE: biosolids report

Did Synagro land apply all of the 362.7 DMT, or did they land apply a portion and take the rest to a landfill? If they land applied more than 290 dry metric tons, 4 sets of samples should have been analyzed. If Eureka ran 2 samples and Synagro ran additional samples, Eureka may report the samples that Synagro ran as well.

Lauren

Lauren Fondahl  
Biosolids Coordinator, WTR-2-3  
US EPA Region 9  
75 Hawthorne St.  
San Francisco, CA 94105  
415 972-3514 (office)

---

**From:** Clay Yerby [<mailto:cyerby@ci.eureka.ca.gov>]  
**Sent:** Tuesday, February 09, 2016 2:25 PM  
**To:** Fondahl, Lauren <[Fondahl.Lauren@epa.gov](mailto:Fondahl.Lauren@epa.gov)>  
**Cc:** Dan Duncan <[dduncan@ci.eureka.ca.gov](mailto:dduncan@ci.eureka.ca.gov)>  
**Subject:** biosolids report

Lauren, as you know, I'm assisting with the preparation of the city's 2015 biosolids report. It appears the biosolids were sampled and analyzed twice during 2015. The city produced a total of 555.7 DMT of biosolids last year of which 362.7 were handled under contract by Synagro. Is there a problem with the number of samples taken versus the total amount generated considering that all but 193 DMT was hauled and applied Synagro?

Clay Yerby  
City of Eureka  
Source Control  
707-441-4011

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the sender. This

message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake and delete this e-mail from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.